

FLEXIBLE PVC SUBSTRATES (FRONTLIT)

Product ID	Thickness (mm)	Roll Width (m)	Construction	Weight (gr/sqm)
QSFH340 M / G	0.30 ± 0.02	note 1	200x300D, 18x12	340
QSFH450 M / G	0.40 ± 0.02	note 1	300x500D, 18x12	450
QSFL450-9 M / G	0.40 ± 0.02	note 1	500x500D, 9x9	450
QSFH500 M / G	0.44 ± 0.02	note 1	500x500D, 18x12	500
QSFM500 M / G	0.44 ± 0.02	note 1	300x500D, 18x12	500
QSFH500-9 M / G	0.44 ± 0.02	note 1	1000x1000D, 9x9	500
QSFL500-9 M / G	0.44 ± 0.02	note 1	500x500D, 9x9	500
QSFH580 M / G	0.52 ± 0.02	note 1	500x500D, 18x12	580
QSFL580 M / G	0.52 ± 0.02	note 1	300x500D, 18x12	580
QSF500 M / G	0.44 ± 0.02	note 1	300x500D, 18x12	500
QSC450 M / G	0.45 ± 0.02	note 1	500x500D, 20x20	450
QSC450-5 M / G	0.45 ± 0.02	5.00	500x500D, 20x20	450
QSC450R M / G	0.45 ± 0.02	note 1	500x500D, 28x28	450
QSC450R-5 M / G	0.45 ± 0.02	5.00	500x500D, 28x28	450
QSC510 M / G	0.45 ± 0.01	note 1	500x500D, 18x18	510
QSC510-5 M / G	0.45 ± 0.01	5.00	500x500D, 18x18	510
QSC900 M / G	0.75 ± 0.02	note 1	1000x1000D, 30x30	900

FLEXIBLE PVC SUBSTRATES (BACKLIT)

QSBL500 M / G	0.44 ± 0.02	note 1	300x500D, 18x12	500
QSBH500 M / G	0.44 ± 0.02	note 1	500x500D, 18x12	500
QSBH580 M / G	0.52 ± 0.02	note 1	500x500D, 18x12	580
QSBL580 M / G	0.52 ± 0.02	note 1	300x500D, 18x12	580

ONE WAY VISION

Product ID	Surface - microns	Backing - gsm	Standard widths - m	Backing
OWV20C	200	180	0.98, 1.27, 1.37	Clear Back/removeable glue
OWV20C	200	180	1.52	Clear Back/removeable glue
OWV20P	200	180	0.98, 1.27, 1.37	Paper Back/removeable glue
OWV20P	200	180	1.52	Paper Back/removeable glue
OWV18P-14	180	140	0.98, 1.27, 1.37	Paper Back/removeable glue

LAMINATION FILM

Product ID	Surface - microns	Backing - gr/sqm	Standard widths	Available finishes
CGLAM09	90	100	note 1	matt, semi-matt, gloss, semi-gloss
CGLAM11	110	120	note 1	matt, semi-matt, gloss, semi-gloss

SELF-ADHESIVE VINYL

Product ID	Surface - microns	Backing - gr/sqm	Standard widths	Comments
SAV1012	100	120	note 1	Paper Back
SAV1014	100	140	note 1	Paper Back

MESH

Product ID	Weight - gr/sqm	Construction	Standard widths	Comments
QSM225	225	1000x1000D, 13x9	note 1	
QSM250	250	1000x1000D, 18x9	note 1	
QSML225	250	1000x1000D, 13x9	note 1	with liner
QSM270	270	1000x1000D, 12x12	note 1	Options: 5m width, B1

BLOCKOUT

Product ID	Weight gr/sqm	Construction	Standard widths	Comments
QSOS440	440	300x300D, 42x40	note 1, Option: B1	double sided
QSOS510	510	300x300D, 42x40	note 1, Option: B1	double sided

BLACKOUT

Product ID	Weight gr/sqm	Construction	Standard widths - m	Comments
QSFBL500 M/G	500	300x500D, 12x18	note 1	one side black, one side white
QSFBL500-9 M/G	500	500x500D, 9x9	note 1	one side black, one side white
QSFBL500-9 M/G	500	1000x1000D, 9x9	note 1	one side black, one side white

- NOTES:**
1. Standard widths: 1.02, 1.22, 1.27, 1.37, 1.60, 1.80, 2.02, 2.20, 2.50, 2.80, 3.20
 2. Standard outdoor durability is 1 year
 3. Suffixes: M = Matt / G = Gloss
 4. Standard roll length is 50m
 5. Hard packing is standard.
 6. Minimum order: 25 rolls of each size
 7. Outdoor durability is one year